



Scissor Lift - Electric

Model : CFPT0407LD

Australia-Wide Delivery with Low Freight Costs

Enjoy the convenience of nationwide delivery with our competitive freight rates.

Competitive Financing / Rent-to-Own Options Available

Take advantage of our attractive financing solutions tailored to meet your needs.

HANDYMAX

ABN: 78 643 556 030

2/22 Park Drive

Dandenong South VIC 3175

Phone: **03 9769 2888**

24/7: **1300 077 999**

sales@handymax.com.au

www.handymax.com.au

KEY FEATURES

Proportional Control

Extension Platform, Foldable Guardrail

Maintenance-free Battery, Fault Diagnosis System, Emergency Stop System

PRODUCT SPECIFICATIONS

DIMENSIONS	
Max. Working Height (A)	6.5 m
Max. Platform Height (B)	4.5 m
Overall Width (D)	782 mm
Overall Height (Guardrail Unfolded) (E1)	2,080 mm
Overall Height (Guardrail Folded) (E2)	1,700 mm
Overall Length (C)	1,445 mm
Platform Length (F1)	1,230 mm
Platform Width (F2)	655 mm
Platform Extension Size (G)	600 mm
Min. Ground Clearance	50 mm
PERFORMANCE	
Max. Load Capacity	200 kg
Load Capacity of Extended Platform	100 kg
Max. Occupants (Indoor / Outdoor)	1 / 0
Drive Speed (Stowed)	1.7 km/h
Elevation Time	32 sec
Decent Time	20 sec
Gradeability	25 %
Tilt Rating (Front to Back)	3°
Tilt Rating (Side to Side)	1.5°
Turning Radius (Inside)	0 mm
Turning Radius (Outside)	0 mm
Foldable Guardrail	YES
Proportional Control	YES
Electrophoretic Paint Technology	YES
Extension Platform	YES
POWER	
Batteries	2 x 12V/100 Ah
Power Source	24V DC
Charger Input	240V AC
Lifting Motor	24V / 1.2 kw
AC Power to Platform	YES
Maintenance-free Battery	YES
SERVICE REFILL CAPACITIES	
Hydraulic Oil	ISO 46
SAFETY	
Self-closing Gate	YES
Emergency Descent System	YES
Emergency Stop at Platform	YES
Emergency Stop at Ground Controls	YES
Faulty Diagnosis System	YES
Tilt Protection	YES
Overloading Sensing System	YES

Hydraulic Hose Burst Protection System	YES
Buzzer	YES
Horn	YES
Charging Protection System	YES
Warning Beacon	YES
WEIGHTS	
Machine Weight	900 kg

ABOUT HANDYMAX



Handymax Machinery is an Australian-owned and operated company dedicated to providing high-quality, cost-effective machinery solutions. Our diverse product range includes versatile wheel loaders, robust forklifts, and efficient excavators, all engineered for maximum efficiency and productivity across various industries.

We pride ourselves on innovation and reliability, ensuring each piece of equipment meets the highest standards. Our commitment to customer satisfaction is evident in our attentive service, extensive inventory, and competitive pricing. With our new, spacious headquarters at 2/22 Park Drive, Dandenong South, VIC 3175, we are better equipped than ever to serve our valued customers.

Trust Handymax Machinery to be your reliable partner for all your equipment needs, and join us in driving Australia's prosperity forward.

DISCLAIMER AND USAGE TERMS

Please note that there may be differences between the actual machine and the images or descriptions provided in this brochure. Handymax is committed to continuous improvement and reserves the right to make changes to the product at any time. This brochure is intended for descriptive purposes only. Specifications, dimensions, and illustrations are subject to change without notice. All performance and capacity specifications are based on engineering data and may vary slightly in actual applications. For the most up-to-date information, please contact our technical support team. Handymax endeavors to ensure all information in this brochure is accurate at the time of publication. However, if you find any inaccuracies or omissions, please contact us at marketing@handymax.com.au. Your feedback helps us improve our documentation and service.

© 2025 HANDYMAX

All information contained within this document is protected by copyright and other intellectual property rights owned by Handymax and its licensors. No part of this material may be replicated, reproduced, or copied, either in its entirety or partially, without obtaining prior written consent from Handymax and its licensors. For further details, please contact us to request additional information.