



Wheel Loader - Diesel

Model : HM16

Australia-Wide Delivery with Low Freight Costs

Enjoy the convenience of nationwide delivery with our competitive freight rates.

Competitive Financing / Rent-to-Own Options Available

Take advantage of our attractive financing solutions tailored to meet your needs.

HANDYMAX

ABN: 78 643 556 030

2/22 Park Drive

Dandenong South VIC 3175

Phone: **03 9769 2888**

24/7: **1300 077 999**

sales@handymax.com.au

www.handymax.com.au

KEY FEATURES


75 HP Diesel Engine with 4 Speed Forward & 4 Speed Reverse.

Four Wheel Drive 4x4 and Hydraulic Torque Converter for superior performance.

Automatic Power-shift Transmission ensures smooth operation.

Air-conditioned Cabin with Rear Camera for enhanced comfort and safety.

Equipped with a Hydraulic Quick Hitch for quick and easy attachment changes.



© 2023 HANDYMAX


PRODUCT SPECIFICATIONS

OVERVIEW	
Lift Capacity	1,600 kg
Hydraulic Quick Hitch Type	Handymax B2
Drivetrain Type	4x4 (Four-Wheel Drive)
ENGINE	
Engine Make	YUNNEI
Engine Model	YN27GBZ_Turbo
Rated Speed	2,400 rpm
Displacement	2.7 L
Number of Cylinders	4
Cylinder Diameter	90 mm
Cooling System	Water Cooling
Fuel Type	Diesel
Engine Weight	240 kg
Engine Power	75 hp
WEIGHTS	
Operating Weight	4,400 kg
SERVICE REFILL CAPACITIES	
Engine Oil	15W-40
Engine Oil Capacity	6.8 L
Hydraulic Oil	ISO 68
Hydraulic Oil Capacity	60 L
Hydraulic Transmission Oil	10W-30
Hydraulic Transmission Oil Capacity	18 L
Gear/Diff Oil	80W-90
Gear/Diff Oil Capacity	15.6 L
Coolant Type	Hybrid (HOAT)
Coolant Capacity	18 L
Brake Fluid	DOT 3
Brake Fluid Capacity	990 ml
Fuel Tank Capacity	60 L

Fuel Filter / Diesel Filter	Part No.1200708
Engine Oil Filter	Part No.1210810
Air Filter	Part No.1222131
Engine Service Filter Set	Part No.7262381
BUCKET	
GP Bucket Width	1,800 mm
GP Bucket Struck Capacity	0.6 m³
GP Bucket Heaped Capacity	0.9 m³
4in1 Bucket Width	1,890 mm
4in1 Bucket Struck Capacity	0.6 m³
4in1 Bucket Heaped Capacity	0.9 m³
HYDRAULIC SYSTEM	
Hydraulic Flow Rate	80 LPM
Operating Pressure	2,321 psi
BRAKE SYSTEM	
Brake Type	Air Over Hydraulic
TRANSMISSION	
Transmission Type	Automatic Powershift
Torque Converter Type	Hydraulic
Number of Speeds (Forward)	4
Number of Speeds (Reverse)	4
Max. Travel Speed	30 km/h
CABIN	
Seat Belt	YES
Radio	YES
Adjustable Seat	YES
Fan	YES
Air Conditioner	YES
DIMENSIONS	
Max. Lift Height	3,630 mm
Dumping Height	3,200 mm
Max. Dumping Height (with 4in1 Bucket)	3,720 mm
Overall Length (with 4in1 Bucket)	5,810 mm
Overall Length (with GP Bucket)	5,700 mm
Overall Length (without Attachment)	5,050 mm
Overall Width (with 4in1 Bucket)	1,860 mm
Overall Width (without Attachment)	1,850 mm
Overall Height	2,760 mm
Wheel Base	2,200 mm
Distance Between Front Wheels	1,150 mm
Min. Ground Clearance	240 mm
Max. Steering Angle	31 °
Arm Thickness	25 mm
TYRES	
Tyre Type	Pneumatic Tyres
Front Tyre Size	20.5/70 - 16
Rear Tyre Size	20.5/70 - 16

OPTIONAL ATTACHMENTS

	4in1 Bucket, B2 Width: 1,860 mm , Removable Teeth: YES , Quick Hitch Type: Handymax B2 SKU: 2817283	\$3,718.00 Incl GST
	Auger, B2 Quick Hitch Type: Handymax B2 , Max Drilling Depth: 1200 mm , Drilling Diameter: 150 mm SKU: 5807302	\$4,048.00 Incl GST
	Auger, B2 Quick Hitch Type: Handymax B2 , Max Drilling Depth: 1200 mm , Drilling Diameter: 250 mm SKU: 2725551	\$4,158.00 Incl GST
	Auger, B2 Quick Hitch Type: Handymax B2 , Depth: 1200 mm , Diameter: 350 mm , Shipping Weight: 282.5 kg SKU: 7027122	\$4,378.00 Incl GST
	Auger, B2 Quick Hitch Type: Handymax B2 , Max Drilling Depth: 1200 mm , Drilling Diameter: 450 mm SKU: 2900445	\$4,818.00 Incl GST
	Bale Grab, B2 Quick Hitch Type: Handymax B2 SKU: 7029722	\$3,278.00 Incl GST
	Chain Trencher, B2 Cutting Depth: 750 mm , Quick Hitch Type: Handymax B2 , Cutting Width: 120 mm SKU: 7021882	\$6,072.00 Incl GST
	Forklift Jib Extended Length: 3560 mm , Retracted Length: 2050 mm SKU: 7020760	\$2,838.00 Incl GST
	Forklift Slipper, W120, L2000 Length: 2000 mm , Tyne Width Inner: 130 mm , Capacity: 3000 kg , Weight Per Pair: 57 kg SKU: 7020160	\$649.00 Incl GST

	GP Bucket 0.25 m³, B2 Heaped Capacity: 0.35 m³ , Struck Capacity: 0.25 m³ , Quick Hitch Type: Handymax B2 , Overall Width: 1030 mm , Overall Height: 835 mm , Weight: 131 kg SKU: 7023071	\$1,738.00 Incl GST
	GP Bucket 1800 mm, B2 Removable Teeth: YES , Width: 1800 mm , Quick Hitch Type: Handymax B2 , Struck Capacity: 0.6 m³ , Heaped Capacity: 0.9 m³ SKU: 7023122	\$1,958.00 Incl GST
	Hay Fork, 1&4, B2 Quick Hitch Type: Handymax B2 , Width: 1,320 mm , Height: 950 mm , Top Spear Overall Length: 810 mm , Bottom Spear Overall Length: 1,250 mm , Removable Spears: YES SKU: 7026255	\$2,178.00 Incl GST
	Hydraulic Dozer Blade, B2 Overall Width: 2200 mm , Quick Hitch Type: Handymax B2 SKU: 7025081	\$4,048.00 Incl GST
	Hydraulic Slasher, B2 Quick Hitch Type: B2 , Cutting Width: 1800 mm , Overall Length: 2450 mm , Overall Width: 2050 mm , Overall Height: 610 mm , Weight: 520±30 kg SKU: 7022132	\$4,378.00 Incl GST
	Log Grab, B2 Width: 1500 mm , Quick Hitch Type: Handymax B2 , Weight: 392 kg , Type: 3&4 SKU: 7029222	\$3,520.00 Incl GST
	Pallet Forks, B2 Tyne Length: 1070 mm , Frame Height: 1050 mm , Frame Width: 1140 mm SKU: 7612537	\$1,848.00 Incl GST
	Sieve Bucket, W1800, B2 Width: 1800 mm , Struck Capacity: 0.45 m³ , Grid Spacing: 54±3 mm , Quick Hitch Type: Handymax B2 , Removable Teeth: YES , Heaped Capacity: 0.65 m³ SKU: 7025122	\$3,278.00 Incl GST
	Sieve Bucket, W2000, B2 Quick Hitch Type: Handymax B2 , Width: 2000 mm , Grid Spacing: 50±3 mm , Struck Capacity: 0.80 m³ , Heaped Capacity: 1.20 m³ , Removable Teeth: YES SKU: 7028781	\$3,718.00 Incl GST



Stick Rake, B2

Quick Hitch Type: Handymax B2 , Weight: 350 kg , Width: 2200 mm , Height: 800 mm
SKU: 7028022

\$2,970.00
Incl GST



Trailer Bucket 1.00 m³, B2

Heaped Capacity: 1.50 m³ , Struck Capacity: 1.00 m³ , Quick Hitch Type: Handymax B2 ,
Width: 1400 mm
SKU: 7022199

\$2,948.00
Incl GST





ABOUT HANDYMAX



Handymax Machinery is an Australian-owned and operated company dedicated to providing high-quality, cost-effective machinery solutions. Our diverse product range includes versatile wheel loaders, robust forklifts, and efficient excavators, all engineered for maximum efficiency and productivity across various industries.

We pride ourselves on innovation and reliability, ensuring each piece of equipment meets the highest standards. Our commitment to customer satisfaction is evident in our attentive service, extensive inventory, and competitive pricing. With our new, spacious headquarters at 2/22 Park Drive, Dandenong South, VIC 3175, we are better equipped than ever to serve our valued customers.

Trust Handymax Machinery to be your reliable partner for all your equipment needs, and join us in driving Australia's prosperity forward.

DISCLAIMER AND USAGE TERMS

Please note that there may be differences between the actual machine and the images or descriptions provided in this brochure. Handymax is committed to continuous improvement and reserves the right to make changes to the product at any time. This brochure is intended for descriptive purposes only. Specifications, dimensions, and illustrations are subject to change without notice. All performance and capacity specifications are based on engineering data and may vary slightly in actual applications. For the most up-to-date information, please contact our technical support team. Handymax endeavors to ensure all information in this brochure is accurate at the time of publication. However, if you find any inaccuracies or omissions, please contact us at marketing@handymax.com.au. Your feedback helps us improve our documentation and service.

© 2025 HANDYMAX

All information contained within this document is protected by copyright and other intellectual property rights owned by Handymax and its licensors. No part of this material may be replicated, reproduced, or copied, either in its entirety or partially, without obtaining prior written consent from Handymax and its licensors. For further details, please contact us to request additional information.

Brochure Version: HM16.B2.G2.137. Last Updated: 13 Nov 2025.