



Forklift - Diesel

Model : HMAT30

Australia-Wide Delivery with Low Freight Costs

Enjoy the convenience of nationwide delivery with our competitive freight rates.

Competitive Financing / Rent-to-Own Options Available

Take advantage of our attractive financing solutions tailored to meet your needs.

HANDYMAX

ABN: 78 643 556 030

2/22 Park Drive

Dandenong South VIC 3175

Phone: **03 9769 2888**

24/7: **1300 077 999**

sales@handymax.com.au

www.handymax.com.au

KEY FEATURES

3,000 mm Lifting Height for high reach capabilities.

3.0 Tonne Lift Capacity handles heavy loads with ease.


2 Stage Container Mast for efficient stacking.

Side-Shift feature enhances maneuverability.


57 Horse Power Diesel Engine with Four Wheel Drive 4x4 ensures powerful performance.

HANDYMAX HMAT30

Unit: mm



*Please note there may be some differences between your actual machine and this illustration.



© 2023 HANDYMAX

PRODUCT SPECIFICATIONS

OVERVIEW

Load Centre	500 mm
Tyre Length	1,220 mm
Lift Height	3,000 mm
Lift Capacity	3,000 kg @ 500 mm
Forward Tilt	6°
Backward Tilt	12°
Mast Type	2 Stage Container Mast
ITA Style	Class 3 (20" Carriage Height)
Side-shift Function	YES
Fork Positioner	Optional

ENGINE

Engine Make	YUNNEI
Engine Model	YN27
Engine Power	42 kw
Rated Speed	2,400 rpm
Displacement	2.7 L
Number of Cylinders	4
Cylinder Diameter	90 mm
Cooling System	Water Cooling
Fuel Type	Diesel
Engine Weight	230 kg

WEIGHTS

Operating Weight	3,900 kg
------------------	----------

SERVICE REFILL CAPACITIES

Engine Oil Capacity	6.8 L
Engine Oil	15W-40
Hydraulic Oil Tank Capacity	36 L
Hydraulic Oil	ISO 68
Hydraulic Torque Converter	18 L
Hydraulic Transmission Oil	10W-30

Hydraulic Transmission Oil Capacity	18 L
Brake Fluid	DOT 3
Brake Fluid Capacity	990 ml
Gear/Diff Oil	80W-90
Gear/Diff Oil Capacity	15.6 L
Coolant Type	Hybrid (HOAT)
Coolant Capacity	18 L
Fuel Tank Capacity	55 L
Engine Oil Filter	Part No.1210810
Fuel Filter / Diesel Filter	Part No.1200708
Air Filter	Part No.1222131
Service Filter Set	Part No.7262381
TRANSMISSION	
Transmission Type	Automatic Powershift
Torque Converter Type	Hydraulic
Number of Speeds (Forward)	4
Number of Speeds (Reverse)	4
Max. Travel Speed	35 km/h
Drivetrain Type	4x4 (Four-Wheel Drive)
BRAKE SYSTEM	
Brake Type	Air Over Hydraulic
CABIN	
Fan	YES
Seat Belt	YES
Radio	YES
Reverse Camera	YES
Air Conditioner	YES
DIMENSIONS	
Overall Length Without Tynes	4,000 mm
Overall Width	1,835 mm
Overall Height	2,370 mm
Wheel Base	1,980 mm
Ground Clearance	160 mm
Max. Steering Angle	28 °
TYRES	
Tyre Type	Pneumatic Tyres
Front Tyre Size	20.5/70 - 16
Rear Tyre Size	20.5/70 - 16

OPTIONAL ATTACHMENTS



Bale Clamp
SKU: 7021932

\$4,378
Incl GST



Forklift Jib
Extended Length: 3560mm , Retracted Length: 2050mm
SKU: 7020760

\$2,838
Incl GST



Forklift Slipper
Capacity: 3000kg , Length: 2000mm , Weight Per Pair: 57kg , Tyne Width Inner: 130mm
SKU: 7020160

\$649
Incl GST



Hook-on Hay Spear
ITA Style: Class 3 , Spear Length: 1160mm
SKU: 8754326

\$979
Incl GST



Hydraulic Fork Positioners
ITA Style: Class 3
SKU: 9050297

\$2,585
Incl GST



ABOUT HANDYMAX



Handymax Machinery is an Australian-owned and operated company dedicated to providing high-quality, cost-effective machinery solutions. Our diverse product range includes versatile wheel loaders, robust forklifts, and efficient excavators, all engineered for maximum efficiency and productivity across various industries.

We pride ourselves on innovation and reliability, ensuring each piece of equipment meets the highest standards. Our commitment to customer satisfaction is evident in our attentive service, extensive inventory, and competitive pricing. With our new, spacious headquarters at 2/22 Park Drive, Dandenong South, VIC 3175, we are better equipped than ever to serve our valued customers.

Trust Handymax Machinery to be your reliable partner for all your equipment needs, and join us in driving Australia's prosperity forward.

DISCLAIMER AND USAGE TERMS

Please note that there may be differences between the actual machine and the images or descriptions provided in this brochure. Handymax is committed to continuous improvement and reserves the right to make changes to the product at any time. This brochure is intended for descriptive purposes only. Specifications, dimensions, and illustrations are subject to change without notice. All performance and capacity specifications are based on engineering data and may vary slightly in actual applications. For the most up-to-date information, please contact our technical support team. Handymax endeavors to ensure all information in this brochure is accurate at the time of publication. However, if you find any inaccuracies or omissions, please contact us at marketing@handymax.com.au. Your feedback helps us improve our documentation and service.

© 2024 HANDYMAX

All information contained within this document is protected by copyright and other intellectual property rights owned by Handymax and its licensors. No part of this material may be replicated, reproduced, or copied, either in its entirety or partially, without obtaining prior written consent from Handymax and its licensors. For further details, please contact us to request additional information.

Brochure Version: HMAT30.G1.31. Last Updated: 15 Nov 2024.