

HME15



POWERED BY

Kubota

1.5 T



Excavator - Diesel

Model : HME15

Australia-Wide Delivery with Low Freight Costs

Enjoy the convenience of nationwide delivery with our competitive freight rates.

Competitive Financing / Rent-to-Own Options Available

Take advantage of our attractive financing solutions tailored to meet your needs.

HANDYMAX

ABN: 78 643 556 030

2/22 Park Drive

Dandenong South VIC 3175

Phone: **03 9769 2888**

24/7: **1300 077 999**

sales@handymax.com.au

www.handymax.com.au

KEY FEATURES

Expandable Undercarriage and Hydraulic Pilot Control for Enhanced Stability and Smooth Operation

Powered by Kubota 3-Cylinder Diesel Engine (14 HP) for Reliable and Fuel-Efficient Performance

Equipped with Hydraulic Quick Hitch for Fast Attachment Changes




Integrated Hydraulic Thumb for Better Gripping and Material Handling

Boom Swing Function for Enhanced Maneuverability in Confined Spaces

Equipped with Removable Front Guard for Added Operator Protection

HANDYMAX HME15

Unit: mm



*Please note there may be some differences between your actual machine and this illustration.

© HANDYMAX

PRODUCT SPECIFICATIONS

OVERVIEW	
Flow Rate	20 L/min
Operating Pressure	2,611 psi
Operating Weight	1,500 kg
ENGINE	
Engine Model	D722
Engine Type	3-cylinder diesel engine
Engine Power	14hp / 10.2kw @ 2,500 rpm
Cooling Type	Liquid-Cooled
OPERATING RANGE	
Max. Digging Radius On Ground	3,500 mm
Max. Digging Radius	3,545 mm
Max. Digging Depth	1,960 mm
Max. Digging Height	2,000 mm
Max. Lifting Height Of Dozer Blade	165 mm
Max. Digging Depth Of Dozer Blade	230 mm
DIMENSIONS	
Total Length of Track	1,350 mm
Platform Ground Clearance	375 mm
Track Width	195 mm
Overall Width	1,100 mm
Overall Height	2,300 mm
SERVICE REFILL CAPACITIES	
Engine Oil	15W-40
Engine Oil Capacity	2.7 L
Engine Oil Filter	Part No.1211805
Fuel Filter / Diesel Filter	Part No.7136163
Hydraulic Oil	ISO 46
Hydraulic Oil Change Interval	every 500 hours or earlier if the oil becomes contaminated
Air Filter	Part No.4612423

OPTIONAL ATTACHMENTS

	Auger Drill Bit, Excavator Max Drilling Depth: 1040 mm , Weight: 10.5 kg , Drilling Diameter: 200 mm SKU: 2859123	\$418.00 Incl GST
	Auger Drill Bit, Excavator Drilling Diameter: 250 mm SKU: 6259539	\$528.00 Incl GST
	Auger Drill Bit, Excavator Max Drilling Depth: 1030 mm , Weight: 13.5 kg , Drilling Diameter: 300 mm SKU: 2850012	\$638.00 Incl GST
	Auger Motor with Hitch, X1 Weight: 26.5 kg , Quick Hitch Type: Handymax X1 SKU: 7893585	\$1,342.00 Incl GST
	Bucket W400, X1 Width: 400 mm , Weight: 25.5 kg , Quick Hitch Type: Handymax X1 , Removable Teeth: YES SKU: 2851359	\$473.00 Incl GST
	Bucket W600, X1 Quick Hitch Type: Handymax X1 , Width: 600 mm , Weight: 20.5 kg SKU: 2851363	\$660.00 Incl GST
	Bucket W1000, X1 Width: 1000 mm , Weight: 30.5 kg , Quick Hitch Type: Handymax X1 SKU: 2851367	\$896.50 Incl GST
	Hydraulic Hammer, Rock Breaker, X1 SKU: 7925559	\$1,650.00 Incl GST
	Rake, X1 Quick Hitch Type: Handymax X1 , Width: 400 mm , Weight: 13.5 kg SKU: 2851391	\$440.00 Incl GST



Single Ripper, X1

Quick Hitch Type: Handymax X1 , Overall Length: 580 mm , Weight: 12.5 kg
SKU: 2851351

\$418.00
Incl GST



Trailer, HTL22

Trailer Model: LMPT2200 , ATM (Aggregate Trailer Mass): 2,200 kg , Maximum Load / Payload: 1,820 kg , Tare Mass: 380 kg , Tyre Size: 185R14 , Spare Wheel: Included , Braking System: ADR Approved Electric 4-Wheel Brake System – requires an in-vehicle brake controller.
SKU: 6101972

\$8,019.00
Incl GST

ABOUT HANDYMAX



Handymax Machinery is an Australian-owned and operated company dedicated to providing high-quality, cost-effective machinery solutions. Our diverse product range includes versatile wheel loaders, robust forklifts, and efficient excavators, all engineered for maximum efficiency and productivity across various industries.

We pride ourselves on innovation and reliability, ensuring each piece of equipment meets the highest standards. Our commitment to customer satisfaction is evident in our attentive service, extensive inventory, and competitive pricing. With our new, spacious headquarters at 2/22 Park Drive, Dandenong South, VIC 3175, we are better equipped than ever to serve our valued customers.

Trust Handymax Machinery to be your reliable partner for all your equipment needs, and join us in driving Australia's prosperity forward.

DISCLAIMER AND USAGE TERMS

Please note that there may be differences between the actual machine and the images or descriptions provided in this brochure. Handymax is committed to continuous improvement and reserves the right to make changes to the product at any time. This brochure is intended for descriptive purposes only. Specifications, dimensions, and illustrations are subject to change without notice. All performance and capacity specifications are based on engineering data and may vary slightly in actual applications. For the most up-to-date information, please contact our technical support team. Handymax endeavors to ensure all information in this brochure is accurate at the time of publication. However, if you find any inaccuracies or omissions, please contact us at marketing@handymax.com.au. Your feedback helps us improve our documentation and service.

© 2026 HANDYMAX

All information contained within this document is protected by copyright and other intellectual property rights owned by Handymax and its licensors. No part of this material may be replicated, reproduced, or copied, either in its entirety or partially, without obtaining prior written consent from Handymax and its licensors. For further details, please contact us to request additional information.

Brochure Version: HME15.X1.G1.7. Last Updated: 24 Jan 2026.