



**Forklift - LPG**

**Model : HMF25G**

**Australia-Wide Delivery with Low Freight Costs**

Enjoy the convenience of nationwide delivery with our competitive freight rates.

**Competitive Financing / Rent-to-Own Options Available**

Take advantage of our attractive financing solutions tailored to meet your needs.

**HANDYMAX**

ABN: 78 643 556 030

2/22 Park Drive

Dandenong South VIC 3175

Phone: **03 9769 2888**

24/7: **1300 077 999**

[sales@handymax.com.au](mailto:sales@handymax.com.au)


[www.handymax.com.au](http://www.handymax.com.au)

## KEY FEATURES

**Nissan K25 Engine with Automatic Transmission for smooth, powerful operation.**

**Equipped with Side-Shift Function and 4th Function Joystick Installed & Piped.**

**4,500 mm Lift Height and 3 Stage Container Mast for superior reach and efficient stacking.**



## PRODUCT SPECIFICATIONS

| OVERVIEW                     |                                |
|------------------------------|--------------------------------|
| Load Centre                  | 500 mm                         |
| Tyre Length                  | 1,220 mm (Standard)            |
| Lift Height                  | 4,500 mm                       |
| Lift Capacity                | 2,500 kg                       |
| Mast Type                    | 3 Stage Container Mast         |
| ITA Style                    | Class 2 ( 16" Carriage Height) |
| Side-shift Function          | YES                            |
| Fork Positioner              | Optional                       |
| ENGINE                       |                                |
| Engine Make                  | NISSAN                         |
| Engine Model                 | K25                            |
| Fuel Type                    | LPG & Petrol                   |
| WEIGHTS                      |                                |
| Operating Weight             | 3,900 kg                       |
| DIMENSIONS                   |                                |
| Overall Length Without Tyres | 2,600 mm                       |
| Overall Width                | 1,140 mm                       |
| Overall Height               | 2,100 mm                       |
| TYRES                        |                                |
| Tyre Type                    | Pneumatic Tyres (Standard)     |
| Front Tyre Size              | 7.00 - 12 NHS                  |
| Rear Tyre Size               | 6.00 - 9 NHS                   |
| Solid Tyre                   | Optional                       |

## OPTIONAL ATTACHMENTS




**Forklift Jib**  
Extended Length: 3560 mm , Retracted Length: 2050 mm  
SKU: 7020760

\$2,838.00  
Incl GST



**Forklift Slipper, W120, L2000**  
Length: 2000 mm , Tyne Width Inner: 130 mm , Capacity: 3000 kg , Weight Per Pair: 57 kg  
SKU: 7020160

\$649.00  
Incl GST



# ABOUT HANDYMAX



Handymax Machinery is an Australian-owned and operated company dedicated to providing high-quality, cost-effective machinery solutions. Our diverse product range includes versatile wheel loaders, robust forklifts, and efficient excavators, all engineered for maximum efficiency and productivity across various industries.

We pride ourselves on innovation and reliability, ensuring each piece of equipment meets the highest standards. Our commitment to customer satisfaction is evident in our attentive service, extensive inventory, and competitive pricing. With our new, spacious headquarters at 2/22 Park Drive, Dandenong South, VIC 3175, we are better equipped than ever to serve our valued customers.

Trust Handymax Machinery to be your reliable partner for all your equipment needs, and join us in driving Australia's prosperity forward.

#### **DISCLAIMER AND USAGE TERMS**

Please note that there may be differences between the actual machine and the images or descriptions provided in this brochure. Handymax is committed to continuous improvement and reserves the right to make changes to the product at any time. This brochure is intended for descriptive purposes only. Specifications, dimensions, and illustrations are subject to change without notice. All performance and capacity specifications are based on engineering data and may vary slightly in actual applications. For the most up-to-date information, please contact our technical support team. Handymax endeavors to ensure all information in this brochure is accurate at the time of publication. However, if you find any inaccuracies or omissions, please contact us at [marketing@handymax.com.au](mailto:marketing@handymax.com.au). Your feedback helps us improve our documentation and service.

#### **© 2025 HANDYMAX**

All information contained within this document is protected by copyright and other intellectual property rights owned by Handymax and its licensors. No part of this material may be replicated, reproduced, or copied, either in its entirety or partially, without obtaining prior written consent from Handymax and its licensors. For further details, please contact us to request additional information.

Brochure Version: HMF25G.F2.G3.3. Last Updated: 02 Aug 2025.