



Forklift - Diesel

Model : HMF35RT

Australia-Wide Delivery with Low Freight Costs

Enjoy the convenience of nationwide delivery with our competitive freight rates.

Competitive Financing / Rent-to-Own Options Available

Take advantage of our attractive financing solutions tailored to meet your needs.

HANDYMAX

ABN: 78 643 556 030

2/22 Park Drive

Dandenong South VIC 3175

Phone: **03 9769 2888**

24/7: **1300 077 999**

sales@handymax.com.au

www.handymax.com.au

KEY FEATURES

4,500 mm Lift Height with a 3 Stage Container Mast for superior reach and stacking.

Automatic Transmission for effortless and smooth operation.


Side-Shift feature improves maneuverability for precise load placement.

Can be Registered and features a Dual Air Filter for compliance and cleaner operation.

4th Function Joystick Installed & Piped for enhanced control and versatility.

HANDYMAX HMF35RT

Unit: mm



PRODUCT SPECIFICATIONS

OVERVIEW	
Load Centre	500 mm
Tyre Length	1,220 mm (Standard)
Lift Height	4,500 mm
Lift Capacity	3,500 kg
Mast Type	3 Stage Container Mast
ITA Style	Class 3 (20" Carriage Height)
Side-shift Function	YES
Fork Positioner	Optional
ENGINE	
Engine Make	XINCHAI
Engine Model	A495BPG
Engine Power	42 kw
Rated Speed	2,500 rpm
Number of Cylinders	4
Cooling System	Water Cooling
Fuel Type	Diesel
WEIGHTS	
Operating Weight	4,900 kg
SERVICE REFILL CAPACITIES	
Engine Oil	15W-40
Engine Oil Capacity	6.5 L
Hydraulic Oil	ISO 46
Hydraulic Oil Tank Capacity	60 L
Hydraulic Transmission Oil	10W-30
Hydraulic Transmission Oil Capacity	10 L
Brake Fluid	DOT 3
Brake Fluid Capacity	500 ml
Gear/Diff Oil	80W-90
Gear/Diff Oil Capacity	8-10 L
Coolant Type	Hybrid (HOAT)
Coolant Capacity	10-12 L
Fuel Tank Capacity	60 L

Engine Oil Filter	Part No.1210810
Fuel Filter / Diesel Filter	Part No.1200708
Air Filter	Part No.1220130
Transmission Oil Filter	Part No.1260807
Service Filter Set	Part No. 7835191
Air Filters Change Interval	100h or 3 months, whichever comes first
Engine Oil and Filter Change Interval	300h or 3 months, whichever comes first
Fuel Filter Change Interval	300h or 3 months, whichever comes first
Coolant Change Interval	500h or 3 months, whichever comes first
Hydraulic Transmission Oil and Filter Change Interval	500h or 6 months, whichever comes first
Gear/Diff Oil Change Interval	500h or 6 months, whichever comes first
Brake Fluid Change Interval	500h or 6 months, whichever comes first
Hydraulic Oil Change Interval	500h or 6 months, whichever comes first
Initial Service	50h or 3 months, whichever comes first
Initial Service Filters	Air filters, Engine oil filter, Fuel filter, Hydraulic transmission oil filter
Initial Service Fluids	Engine oil, Coolant, Hydraulic oil, Gear oil, Hydraulic transmission oil
TRANSMISSION	
Transmission Type	Automatic Powershift
Number of Speeds (Forward)	1
Number of Speeds (Reverse)	1
Drivetrain Type	Two-Wheel Drive (2WD)
Differential Type	Mechanical Limited-Slip (LSD)
BRAKE SYSTEM	
Brake Type	Dry Brake
CABIN	
Seat Belt	YES
ROPS & FOPS	YES
Adjustable Seat	YES
DIMENSIONS	
Overall Length Without Tynes	3,040 mm
Overall Length with 1220mm Tynes	4,260 mm
Overall Width	1,500 mm
Overall Height	2,315 mm
Wheel Base	1,850 mm
TYRES	
Tyre Type	Pneumatic Tyres (Standard)
Front Tyre Size	12 - 16.5
Rear Tyre Size	27 x 10.50 -15

ABOUT HANDYMAX



Handymax Machinery is an Australian-owned and operated company dedicated to providing high-quality, cost-effective machinery solutions. Our diverse product range includes versatile wheel loaders, robust forklifts, and efficient excavators, all engineered for maximum efficiency and productivity across various industries.

We pride ourselves on innovation and reliability, ensuring each piece of equipment meets the highest standards. Our commitment to customer satisfaction is evident in our attentive service, extensive inventory, and competitive pricing. With our new, spacious headquarters at 2/22 Park Drive, Dandenong South, VIC 3175, we are better equipped than ever to serve our valued customers.

Trust Handymax Machinery to be your reliable partner for all your equipment needs, and join us in driving Australia's prosperity forward.

DISCLAIMER AND USAGE TERMS

Please note that there may be differences between the actual machine and the images or descriptions provided in this brochure. Handymax is committed to continuous improvement and reserves the right to make changes to the product at any time. This brochure is intended for descriptive purposes only. Specifications, dimensions, and illustrations are subject to change without notice. All performance and capacity specifications are based on engineering data and may vary slightly in actual applications. For the most up-to-date information, please contact our technical support team. Handymax endeavors to ensure all information in this brochure is accurate at the time of publication. However, if you find any inaccuracies or omissions, please contact us at marketing@handymax.com.au. Your feedback helps us improve our documentation and service.

© 2025 HANDYMAX

All information contained within this document is protected by copyright and other intellectual property rights owned by Handymax and its licensors. No part of this material may be replicated, reproduced, or copied, either in its entirety or partially, without obtaining prior written consent from Handymax and its licensors. For further details, please contact us to request additional information.

Brochure Version: HMF35RT.F3.G2.61. Last Updated: 25 Apr 2025.