



Forklift - Diesel

Model : HMF55

Australia-Wide Delivery with Low Freight Costs

Enjoy the convenience of nationwide delivery with our competitive freight rates.

Competitive Financing / Rent-to-Own Options Available

Take advantage of our attractive financing solutions tailored to meet your needs.

HANDYMAX

ABN: 78 643 556 030

2/22 Park Drive

Dandenong South VIC 3175

Phone: **03 9769 2888**

24/7: **1300 077 999**

sales@handymax.com.au

www.handymax.com.au

KEY FEATURES

Diesel forklift with 5.5-ton lifting capacity and Automatic Transmission for powerful performance.

4,500 mm Lift Height and 3 Stage Container Mast for superior reach and efficient stacking.


Removable Dual Front Wheel design for flexibility and stability.

Side-Shift and Fork Positioning Function Included for precise load handling.

Can be Registered and features a Dual Air Filter for compliance and cleaner operation.

HANDYMAX HMF55

Unit: mm



© HANDYMAX

PRODUCT SPECIFICATIONS

OVERVIEW

Load Centre	500 mm
Tyre Length	1,220 mm
Lift Height	4,500 mm
Lift Capacity	5,500 kg
Mast Type	3 Stage Container Mast
ITA Style	Class 3 (20" Carriage Height)
Side-shift Function	YES
Fork Positioner	YES

ENGINE

Engine Make	QUANCHAI
Engine Model	4C6-85U32
Engine Power	62.5 kw
Rated Speed	2,200 rpm
Number of Cylinders	4
Cooling System	Water Cooling
Fuel Type	Diesel

WEIGHTS

Operating Weight	7,500 kg
------------------	----------

SERVICE REFILL CAPACITIES

Engine Oil	15W-40
Hydraulic Oil Tank Capacity	60 L
Hydraulic Oil	ISO 46
Hydraulic Transmission Oil	10W-30
Hydraulic Transmission Oil Capacity	10 L
Brake Fluid	DOT 3
Gear/Diff Oil	80W-90
Gear/Diff Oil Capacity	8-10 L
Coolant Type	Hybrid (HOAT)
Coolant Capacity	10-12 L
Fuel Tank Capacity	60 L

Engine Oil Filter	Part No.9829301
Fuel Filter / Diesel Filter	Part No.7682005
Air Filter	Part No.1222131
Air Filter (Top)	Part No.1222131
Transmission Oil Filter	Part No.1260807
TRANSMISSION	
Transmission Type	Automatic Powershift
Number of Speeds (Forward)	2
Number of Speeds (Reverse)	1
Drivetrain Type	Front-Wheel Drive (FWD)
CABIN	
Seat Belt	YES
ROPS & FOPS	YES
Adjustable Seat	YES
DIMENSIONS	
Overall Length Without Tynes	3,050 mm
Overall Length with 1220mm Tynes	4,380 mm
Overall Height	2,390 mm
Ground Clearance	170 mm
Overall Width with Dual Wheel	1,905 mm
Overall Width without Dual Wheel	1,480 mm
TYRES	
Tyre Type	Pneumatic Tyres
Front Tyre Size	8.25-15 NHS
Rear Tyre Size	7.00-12 NHS
Dual Front Wheels	YES





OPTIONAL ATTACHMENTS

	Forklift Slipper SKU: 7028716	\$759 Incl GST
	Pallet Fork Tyne Tyne Width: 150mm , Length: 1820mm 1x Pair SKU: 7021922	\$1,155 Incl GST

\$ 43,990 +GST
NOW \$ 37,990 +GST
FREE Tyne Positioner
FREE Dual Wheel
SAVE \$ 6,600
5.5 T Diesel



A yellow and black Handymax 5.5 T Diesel forklift is shown from a front-three-quarter view. The forklift has a black mast and forks, and the Handymax logo is visible on the side of the chassis. The background is a plain white wall.



ABOUT HANDYMAX



Handymax Machinery is an Australian-owned and operated company dedicated to providing high-quality, cost-effective machinery solutions. Our diverse product range includes versatile wheel loaders, robust forklifts, and efficient excavators, all engineered for maximum efficiency and productivity across various industries.

We pride ourselves on innovation and reliability, ensuring each piece of equipment meets the highest standards. Our commitment to customer satisfaction is evident in our attentive service, extensive inventory, and competitive pricing. With our new, spacious headquarters at 2/22 Park Drive, Dandenong South, VIC 3175, we are better equipped than ever to serve our valued customers.

Trust Handymax Machinery to be your reliable partner for all your equipment needs, and join us in driving Australia's prosperity forward.

DISCLAIMER AND USAGE TERMS

Please note that there may be differences between the actual machine and the images or descriptions provided in this brochure. Handymax is committed to continuous improvement and reserves the right to make changes to the product at any time. This brochure is intended for descriptive purposes only. Specifications, dimensions, and illustrations are subject to change without notice. All performance and capacity specifications are based on engineering data and may vary slightly in actual applications. For the most up-to-date information, please contact our technical support team. Handymax endeavors to ensure all information in this brochure is accurate at the time of publication. However, if you find any inaccuracies or omissions, please contact us at marketing@handymax.com.au. Your feedback helps us improve our documentation and service.

© 2024 HANDYMAX

All information contained within this document is protected by copyright and other intellectual property rights owned by Handymax and its licensors. No part of this material may be replicated, reproduced, or copied, either in its entirety or partially, without obtaining prior written consent from Handymax and its licensors. For further details, please contact us to request additional information.

Brochure Version: HMF55.G1.25. Last Updated: 17 Aug 2024.