

HT45



Tractor - Diesel

Model : HT45

Australia-Wide Delivery with Low Freight Costs

Enjoy the convenience of nationwide delivery with our competitive freight rates.

Competitive Financing / Rent-to-Own Options Available

Take advantage of our attractive financing solutions tailored to meet your needs.

HANDYMAX

ABN: 78 643 556 030

2/22 Park Drive

Dandenong South VIC 3175

Phone: **03 9769 2888**

24/7: **1300 077 999**

sales@handymax.com.au

www.handymax.com.au

KEY FEATURES

650 kg Front End Loader Lifting Capacity, 8 Speed Forward, 8 Speed Reverse

3PL Quick Hitch Hooks for Fast and Easy Implement Changes

Quick-Release Front End Loader with Euro Quick Hitch

Four Wheel Drive with Diff Lock, Two-Stage Dry Clutch, Power Steering


Self-leveling 4in1 Bucket, Dual Speed PTO, Bull Bar Protection

PRODUCT SPECIFICATIONS


OVERVIEW	
Lift Capacity (with 4in1 Bucket)	650 kg
3PL Lift Capacity@610mm	1,000 kg
3-Point Hitch	Category 1
3PL Float Function	YES
Rear PTO Shaft	1-3/8" (6-Spline)
Rear PTO Speed	540 / 720 rpm
ENGINE	
Engine Make	YUNNEI
Engine Model	YN25GB
Rated Speed	2,300 rpm
Number of Cylinders	4
Fuel Type	Diesel
Engine Power	33.1 kw
WEIGHTS	
Operating Weight	2,800 kg
SERVICE REFILL CAPACITIES	
Engine Oil	15W-40
Hydraulic Oil	ISO 68
Gear/Diff Oil	80W-90
Fuel Filter / Diesel Filter	Part No.1200708
Engine Oil Filter	Part No.1210810
Air Filter	Part No.9546567
BUCKET	
4in1 Bucket Width	1,405 mm
4in1 Bucket Struck Capacity	0.21 m³
4in1 Bucket Heaped Capacity	0.30 m³
HYDRAULIC SYSTEM	
Hydraulic Flow Rate	31 L/min
Operating Pressure	1,813 psi
DIMENSIONS	
Overall Length (with 4in1 Bucket)	4,410 mm
Overall Width	1,580 mm
Overall Height	2,400 mm
Min. Ground Clearance	330 mm
TYRES	
Tyre Type	Pneumatic
Front Tyre Size	280/70 R18
Rear Tyre Size	380/85 R24
PERFORMANCE	
Max. Gradeability	18%

OPTIONAL ATTACHMENTS

	Backhoe LW7, Tractor SKU: 7021762	\$7,018.00 Incl GST
	Carry All, Tractor, 3-Point Linkage Platform Size: 1480 x 880 mm , Overall Width: 1600 mm , Overall Depth: 1130 mm , Overall Height: 1070 mm , Upper Link Pin Diameter: 20 mm , Lower Link Pin Diameter: 25 mm SKU: 1737804	\$825.00 Incl GST
	Flail Mower 1600, Tractor SKU: 7845426	\$2,915.00 Incl GST
	Grader Blade with Ripper, Tractor SKU: 7028712	\$1,738.00 Incl GST
	Pallet Fork Hay Fork, Tractor, T1 Tyne Capacity: 1500kg @500mm SKU: 7024501	\$1,265.00 Incl GST
	Post Hole Digger, Tractor, 3PL SKU: 7026128	\$1,287.00 Incl GST
	Rotary Hoe 1500, Tractor, 3PL SKU: 7039452	\$2,409.00 Incl GST
	Slasher 1600, Tractor, 3PL SKU: 7025505	\$2,310.00 Incl GST
	Spreader, Tractor, 600L, 3PL SKU: 8358864	\$1,815.00 Incl GST



*Please note there may be some differences between your actual machine and this illustration.



© HANDYMAX

ABOUT HANDYMAX



Handymax Machinery is an Australian-owned and operated company dedicated to providing high-quality, cost-effective machinery solutions. Our diverse product range includes versatile wheel loaders, robust forklifts, and efficient excavators, all engineered for maximum efficiency and productivity across various industries.

We pride ourselves on innovation and reliability, ensuring each piece of equipment meets the highest standards. Our commitment to customer satisfaction is evident in our attentive service, extensive inventory, and competitive pricing. With our new, spacious headquarters at 2/22 Park Drive, Dandenong South, VIC 3175, we are better equipped than ever to serve our valued customers.

Trust Handymax Machinery to be your reliable partner for all your equipment needs, and join us in driving Australia's prosperity forward.

DISCLAIMER AND USAGE TERMS

Please note that there may be differences between the actual machine and the images or descriptions provided in this brochure. Handymax is committed to continuous improvement and reserves the right to make changes to the product at any time. This brochure is intended for descriptive purposes only. Specifications, dimensions, and illustrations are subject to change without notice. All performance and capacity specifications are based on engineering data and may vary slightly in actual applications. For the most up-to-date information, please contact our technical support team. Handymax endeavors to ensure all information in this brochure is accurate at the time of publication. However, if you find any inaccuracies or omissions, please contact us at marketing@handymax.com.au. Your feedback helps us improve our documentation and service.

© 2026 HANDYMAX

All information contained within this document is protected by copyright and other intellectual property rights owned by Handymax and its licensors. No part of this material may be replicated, reproduced, or copied, either in its entirety or partially, without obtaining prior written consent from Handymax and its licensors. For further details, please contact us to request additional information.

